



Bayer Environmental Science

FICAM D

Version 2
Revision Date 17.07.2003

GB
102000001385

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**Product information**

Trade name : FICAM D
 Product code : AE B052020 00 DP01 A1
 Specification : 21096
 Usage : insecticide
 Company : Bayer Environmental Science
 Durkan House
 214-224 High Street
 Waltham Cross
 Hertfordshire EN8 7DP
 United Kingdom

Telephone : +44(0)1992 784270
 Telefax : +44(0)1992 784276

Emergency telephone number : 0800-220876 (UK only)
 +44(0)1223-870312

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Dustable powder (DP), contains:
Bendiocarb 1% w/w

Hazardous components

Chemical Name	CAS-No.	Symbol(s):	R-phrase(s)	Concentration [%]
Bendiocarb (iso)	22781-23-3	T, N	R21 R23/25 R50/53	1.25

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

General advice : Remove contaminated, soaked clothing immediately and dispose of safely.

Inhalation : Move the patient to fresh air and keep at rest. Seek medical advice immediately.

Skin contact : Wash off immediately with soap and plenty of water. Seek

**FICAM D**

Version 2
Revision Date 17.07.2003

GB
102000001385

medical advice immediately.

- Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- Ingestion : Induce vomiting if patient is fully conscious, time since ingestion is less than 30 minutes and medical aid is not readily available (Vomit should not get into the respiratory tract). Wash out mouth with water. Seek URGENT medical advice.

Notes to physician

- Symptoms : Local: May cause skin and eye irritation.
- Symptoms : Systemic: headache, sweating, lachrymation, salivation, flushing, dizziness, nausea, vomiting, diarrhoea, Abdominal pains, discomfort in the chest, lowered blood pressure, bradycardia/tachycardia, blurred vision, muscle twitching, convulsions, breathing difficulties
- Risks : This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.
- Treatment : Local treatment:
Initial treatment should be symptomatic and supportive.
- Treatment : Systemic treatment:
Endotracheal intubation should be done and gastric lavage performed, followed by administration of charcoal.
Artificial respiration and/or oxygen may be necessary.
Against convulsions: Give diazepam: for adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.
Treatment for adults: for all cases a high dose of Atropine (2 to 4 mg) repeated every 10 to 15 minutes as needed.
Contraindications: oximes (pralidoxime, oblidoxime), succinyl choline, aminophylline
Contraindications: derivatives of morphine
Recovery: Spontaneous.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : water spray
alcohol-resistant foam
dry powder
carbon dioxide (CO₂)
- Extinguishing media which must not be used for safety reasons : Product itself is non-combustible; fire extinguishing measures to suit surroundings.
- Specific hazards during fire fighting : In case of fire the evolution of dangerous gases is possible.
- Special protective : In the event of fire and/or explosion do not breathe fumes.



FICAM D

Version 2
Revision Date 17.07.2003

GB
102000001385

- equipment for fire-fighters : Wear self contained breathing apparatus for fire fighting if necessary.
- Further information : Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.
Whenever possible, contain fire-fighting water by bunding area with sand or earth.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Avoid dust formation.
Avoid contact with spilled product or contaminated surfaces.
When dealing with a spillage do not eat, drink or smoke.
- Environmental precautions : Keep people and animals away.
Do not discharge into the drains/surface water/groundwater.
If spillage enters drains leading to sewage works inform local water company immediately.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).
- Methods for cleaning up : Vacuum up spilled product
Transfer collected material to heavy duty plastic drums and keep safe for disposal.
Clean contaminated floors and objects thoroughly, observing environmental regulations
- Additional advice : Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.
Check also for any local site procedures.

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.
Avoid dust formation.
Provide good ventilation of working area (local exhaust ventilation if necessary).

- Advice on protection against fire and explosion : The product is not combustible.

Storage

- Requirements for storage : Keep container tightly closed in a dry and well-ventilated place.



Bayer Environmental Science

FICAM D

Version 2
Revision Date 17.07.2003

GB
102000001385

areas and containers	Store in a place accessible by authorized persons only.
Further information on storage conditions	: Protect against heat and direct sunlight Protect against moisture.
Advice on common storage	: Keep away from food, drink and animal feedingstuffs.
Storage temperature	: 0 - 30 °C
Suitable materials	: Keep in original packaging, tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of substances Hazardous to Health Regulations 1999 as amended). Engineering controls should be used in preference to personal protective equipment wherever practicable.

Additional advice : OES for bendiocarb 0.2 mg/m³ (WHO)

Personal protective equipment

Respiratory protection	: Dust mask
Hand protection	: Chemical resistant gloves PVC gloves nitrile gloves
Eye protection	: Chemical resistant goggles must be worn.
Skin and body protection	: Light protective clothing, PVC PVC boots
Hygiene measures	: When using, do not eat, drink or smoke. Remove soiled clothing immediately. Remove soaked clothing immediately. Clean hands and face at work intervals and after work. Work in an adequately ventilated room.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	: powder
Colour	: off-white
Odour	: odourless

Safety data

Flash point	: Note: not applicable
Bulk density	: 500 - 700 kg/m ³
Water solubility	: Note: insoluble



Bayer Environmental Science

FICAM DVersion 2
Revision Date 17.07.2003GB
102000001385

Partition coefficient (n-octanol/water) : log Pow: 1.7
at: 25 °C Note: The value mentioned relates to the active ingredient bendiocarb.

Other information : The product is not combustible.

10. STABILITY AND REACTIVITY

Conditions to avoid : Note: Extremes of temperature and direct sunlight.

Materials to avoid : None

Hazardous reactions : No hazardous reactions when stored and handled according to prescribed instructions.
Note: Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 (rat) 12,000 mg/kg

Acute inhalation toxicity : LC50 (rat) > 21.5 mg/l
Exposure time: 6 h

Acute dermal toxicity : LD50 (rat) > 5,000 mg/kg

Skin irritation : rabbit
Result: No skin irritation

Eye irritation : rabbit
Result: No eye irritation

Sensitization : guinea pig
Result: non-sensitizing
Method: OECD Test Guideline 406, Magnusson & Kligman test
Test substance: Information given is based on data on the components and the toxicology of similar products

12. ECOLOGICAL INFORMATION**Elimination information (persistence and degradability)**

Bioaccumulation : Bluegill sunfish
Bioconcentration factor (BCF): 64.8

Ecotoxicity effects

Toxicity to fish : LC50: 1.55 mg/l
Rainbow trout (*Oncorhynchus mykiss*)
Exposure time: 96 h



FICAM D

Version 2
Revision Date 17.07.2003

GB
102000001385

- Toxicity to fish : LC50: 1.65 mg/l
Lepomis macrochirus (Bluegill sunfish)
Exposure time: 96 h
- Toxicity to daphnia : EC50: 3.7 mg/l
Water flea (Daphnia magna)
Exposure time: 48 h
- Toxicity to algae : 1.71 mg/l
Selenastrum capricornutum
Exposure time: 72 h
- Toxicity to other organisms : LD50: 3.1 mg/kg
Mallard duck
- Toxicity to other organisms : LD50: 19 mg/kg
Bobwhite quail

Further information on ecology

- Additional ecological information : The ecological data given are those of the active ingredient bendiocarb.

13. DISPOSAL CONSIDERATIONS

- Product : In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority
Can be landfilled or incinerated, when in compliance with local regulations.
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).
- Contaminated packaging : Packaging that cannot be cleaned should be disposed of as product waste.
Empty containers can be landfilled after cleaning, when in compliance with the Environmental Protection (Duty of Care) Regulations 1991.
- Waste key for the unused product : 020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION

- ADNR** : Not dangerous goods
- ADR** : Not dangerous goods
- IATA** : Not dangerous goods



FICAM D

Version 2
Revision Date 17.07.2003

GB
102000001385

IMDG : Not dangerous goods

CDG CPL : Not dangerous goods

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3.

Hazardous components which must be listed on the label:

- Bendiocarb (iso)

Exceptional labelling of special preparations : Restricted to professional users.
To avoid risks to man and the environment, comply with the instructions for use.

Further information : WHO-classification: III (Slightly hazardous)

R-phrase(s) : R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s) : S35 This material and its container must be disposed of in a safe way.

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 2:

- R21 Harmful in contact with skin.
R23/25 Toxic by inhalation and if swallowed.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should



FICAM D

Version 2

Revision Date 17.07.2003

GB

102000001385

take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.
The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.
No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version will be highlighted in the margin. This version replaces all previous versions.